



# Instruction Manual

## PN6939685



# Instruction manual



Charging



Full

# Instruction manual



This manual contains instructions for use and important safety information. Read the instructions carefully before using the product

## Safety:

1. Do not open or dismantle batteries.
2. Do not expose batteries to heat or fire. Avoid storage in direct sunlight.
3. Do not short-circuit a battery.
4. Do not store batteries haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects.
5. Do not remove a battery from its original packaging until required for use.
6. Do not subject batteries to mechanical shock.
7. In the event of a battery leaking, do not allow the liquid to come in contact with the skin or eyes. If contact has been made, wash the affected area with copious amounts of water and seek medical advice.
8. Do not use any charger other than that specifically provided for use with the equipment.
9. Do not mix batteries of different manufacture, capacity, size or type within a device.
10. Keep batteries out of the reach of children.
11. Keep batteries clean and dry.
12. Batteries need to be charged before use.
13. Use only the battery in the application for which it was intended.
14. When possible, remove the battery from the equipment when not in use.
15. Do not store batteries longer than 1 month in discharged state.
16. Do not storage batteries longer than 1 year without recharge.
17. The battery must be recycled or disposed of properly.

## Operating Temperature:

For charge: 0°C to +45°C  
For discharge: -20°C to +60°C

## Storage Temperature:

< 3 month: 0°C to +35 °C  
< 1 month: 0°C to +45°C

**Recommendation:** The storage environment temperature for batteries should be between -5°C and 35°C, with a relative humidity not exceeding 75%, in a clean, dry and well-ventilated room. Store the battery with a state of charge between 40-60%.

**Charging:** Charge using a dedicated charger. Refer also to the manufacturer's instructions or equipment manual for proper charging instructions.

## Usable Extinguishing Agent:

Hot aerosol, perfluorohexanone and water-based Extinguishing Agent.

## Specifications:

P/N	6939685
Output	3.6V
Capacity	7800m Ah(28.8Wh)
Dimensions (L x W x H)	315mm x 70mm x 27mm (max.)
Weight	300g

**Recycling:** Recycle batteries according to national and local regulations. Contact your local representative for assistance. The batteries must be disposed only in a discharged state at the collection center. In case of not fully discharged batteries, provide for a risk against short circuits. Short circuits can be prevented by isolating the terminals with tape.

## Declaration of conformity:

**CE:** The battery complies with the current regulations of the EU guidelines.

**Symbols:** Explanation of symbols which are on the battery and/or in this manual.



Caution, consult accompanying documents



Mark of conformity to applicable European Directives



Operator's manual; operating instructions



Dispose of this product according to local regulations.